

Professional Education Services
professionals.childhood.org.au

The Neurobiology of Self Care

Understanding and responding to the impacts of working with traumatised children and families



1

Professional Education Services
professionals.childhood.org.au

The Australian Childhood Foundation acknowledges Aboriginal and Torres Strait Islander people as the traditional custodians of this land and we pay our respect to their Elders past, present and future.



2

Learning outcomes

- ✓ Explore the neurobiological impacts of working with traumatised populations
- ✓ Understand the personal, professional and organisational contributors to vicarious trauma and how we might mitigate these factors
- ✓ Explore strategies and activities that can support staff across a range of environments
- ✓ Utilise tools to assess wellbeing and develop a self care plan
- ✓ Link this knowledge to your current practice and to trauma-responsive leadership strategies

Safety

The content of this training can evoke strong emotions and may stir up personal experiences of trauma.

Please be mindful of your own wellbeing during this training and if you need support please ask the facilitator.



Weighing it all up

- What brings you to this work?
- Why do you do what you do?
- What makes it worthwhile?
- What makes it feel successful?
- What are the benefits of your job?
- What are the challenges?
- Are there times that feel like it's not worth it?
- What are the costs or challenges of your job?
- How do you balance benefits with costs and stay on top?
- How do you know when you need a break?

Levels of impact

“Caring deeply about others makes us emotionally vulnerable to the catastrophes that affect them”


–Charles Figley

Defining the terminology

Related to a feeling of being overloaded which is primary to client problems of chronicity and complexity, but can occur in any profession

A state of exhaustion & dysfunction – biologically, psychologically, & socially – as a result of prolonged exposure to compassion stress (Figley)

'Compassion fatigue', 'Secondary Traumatic Stress' & 'Vicarious Trauma' are often used interchangeably. (Figley 1995; McCann & Saakvitne, 1995)



Empathy – a strength and a vulnerability

If empathy is to 'walk a mile in someone's shoes' we need to ensure we step out of those shoes at the end of the mile or we will wear those shoes all the time....and that is vicarious trauma.

- Somatic empathy (Rothschild 2004)
- Limbic resonance
- Cortical empathy



Somatic Empathy – mirroring body states

- An angry parent
- An exhausted Carer
- A frightened child
- A depressed teenager
- A calm, relaxed worker



Limbic Resonance & Cortical Empathy


Limbic Resonance (SUB-CORTICAL)

Our emotional state adjusts to match the emotional state of the person or people we are with

Cortical Empathy (PRE-FRONTAL CORTEX)


Our attempts to step outside our own experiences and imagine the experience and perspective of others

Stress, trauma and the brain




- Neocortex
- Limbic
 - Hippocampus
 - Amygdala
 - Diencephalon
 - Hypothalamus
 - Thalamus
- Corpus Callosum
- Cerebellum
- Brainstem

Brain-Body implications of chronic stress - HPA Axis



13

Regulated Arousal




14

Dys-regulated Arousal

- **Fight or Flight** hyper-vigilant, action-orientated, impulsive, emotionally flooded, reactive, defensive, self-destructive
- **Freeze** Physically immobilized, frozen, tense musculature
- **Submit** Collapsed, weak, defeated, flat affect, numb, empty, helpless, hopeless

Ogden, Minton, Pain 2006



15

Possible indicators

Multidimensional:

- Physical
- Sensory
- Emotional
- Cognitive
- Relational

Can include:


- Fatigue
- impaired immune system
- sleep and appetite disturbances
- Anxiety
- hyper vigilance/control issues
- decreased self esteem
- loss of interest in tasks
- Avoidance – avoiding client contact or supervision



Not all indicators in isolation will determine vicarious trauma. However, experienced collectively, these can have a significant impact on the individual, the team and organisation.

16

Wellbeing – The River of Integration (Dan Siegel)



Adapted from - Siegel, D. (2009). Mindsight - The New Science of Personal Transformation. NSW, Australia: Scribe Publications.

17

Self assessment

- Useful to monitor impact on the practitioner
- E.g. tools: **Self Assessment Tool** and **ProQol** (Professional Quality of Life)

<https://www.proqol.org/>

- NB. These provide a **snapshot in time** of how a worker is travelling re their sense of self in the work.


Consider ways you might use these in your own workplace and/or practice



18

Contributing and Mitigating Factors

What Contributes?



Organisational

- Poor caseload management
- Lack of reflective supervision
- Organisational culture that is not trauma-informed (impacts are not understood or acknowledged)
- Workplace culture promotes ineffective coping strategies such as minimising, denial or 'competitive stressing'
- High level unpredictability or inflexibility

Professional


- Nature of work
- Complex client relationships
- Poor boundaries
- Not accessing or making the most of supervision



Personal

- Lack of self-awareness (re levels of anxiety, stress and fatigue)
- Poor work-life boundaries and balance
- Ineffective coping strategies
- No built in self-care/wellbeing activities
- Unresolved or non-integrated personal trauma experiences
- Lack of social support
- Additional personal stressors such as health, family or finances

What Protects?



Organisational

- Effective caseload management
- Regular and effective reflective supervision
- Trauma-informed organisational culture
- Workplace culture promotes effective coping strategies such as self-care and honest debriefing
- Workplace characterised by predictability and flexibility

Professional

?

Personal

?



Why we don't want to admit it...



Why does it matter? The impacts of vicarious trauma




25

Why does how I'm doing matter?

In relationships, one's ability to regulate one's window of tolerance will affect the other's ability to regulate their own window of tolerance

Child's movement
in her/his window

Movement in
my window



26

The impacts of vicarious trauma in the workplace

- Impacts of protective/defensive responses in the office – reduced team cohesion, poor morale, less collaboration
- Impacts for clients: staff have reduced capacity for attunement, tolerance, problem solving. Clients stop experiencing safety in therapeutic relationship. 'Blocked care'
- Impacts of rigidity – resistance to any changes (staff meetings changing format, new policies re room or car bookings, etc)
- Impacts of chaos – paperwork not completed, meetings missed, 'contagious anxiety'
- Reduced productivity, increased sick leave, poor client outcomes

Personal and Organisational Responses

- **Prevention**
- **Management**
- **Repair**

Prevention

Reducing the risk of vicarious trauma



29

Prevention: Personal level

- Maintaining self care and prioritising healthy lifestyle/personal wellbeing
- Life outside of work incorporates: social, relaxing, spiritual, fun aspects
- Supportive and healthy relationships
- Work-life balance : maintaining healthy boundaries
- Personal and professional values align with the work



30

Personal wellbeing plans



31

Staying regulated during client work

- **IN THE MOMENT:**
 - Physically (regulate our body systems)
 - Mentally (keeping our cortex online)
- **AFTER THE MOMENT:**
 - Debrief (social engagement system!)
 - Physically - regulate body systems
- **BEFORE THE MOMENT** (and all the time)
 - Effective self care
 - Organisational culture



32

Prevention: Organisational Level

Factors that contribute to an effective organisational culture:

- Clear organisational purpose
- Focus on empowerment
- Participation in decision making
- Promote sense of belonging
- Have trust and confidence in workers
- Recognition and reward
- Caring attitude
- Emphasize integrity
- Provide diversity
- Promote excellence

Organisational factors

- Humour and fun
- Predictability and Flexibility
- Shared vulnerability – vicarious trauma is understood and acknowledged
- Acceptance rather than judgement
- Reflective supervision – accessible, regular and effective
- Supportive environment with shared goals and meaning
- Policies & procedures – protect workers, allow for flexibility, support healthy boundaries


Management

Responding to vicarious trauma

Management: Personal level

- Maintain self care routine and increase activities that promote wellbeing where possible
- Acknowledge impacts and practice self compassion
- Utilise leave entitlements, supervision, de-briefing
- Review boundaries and consider any changes that need to be made
- Regular mindfulness practice (set realistic goals for implementing this if not already part of daily routine)

The role of Mindfulness in Self Care



Management: Organisational Level

- Consider staff needs for: Trust/Dependence and Control
- Ensure access to supports: TIL, Annual Leave, Supervision, De-briefing
- Encourage self-care and support this however possible
- Create/maintain an environment of safety, predictability, openness

Repair

Promoting recovery from vicarious trauma



39

Repair: Personal level

- Utilise leave entitlements
- Access therapy/counselling and/or external supervision
- Remember that VT is diagnostically almost identical to PTSD, so consider what you would recommend for a client with PTS response
- Activities/strategies that promote nervous system regulation
- Prioritise sleep, rest, healthy lifestyle (reduce/avoid alcohol, caffeine, etc)
- Remain socially connected



40

Repair: Organisational Level

- Ensure access to leave – be flexible where possible or necessary
- Support access to external counselling and/or supervision
- Consider temporary changes to case load or work role
- Create and support opportunities for staff member/s (individual or team) to practice self-reflection



SELF-CARE WHEEL

Physical Psychological
Professional Emotional
Personal Spiritual

LIFE
SELF-CARE WHEEL
BALANCE

This Self-Care Wheel was inspired by and adapted from "Self-Care Assessment Worksheet" from *Transforming the Pain: A Workbook on Vicarious Traumatization* by Saakvitne, Pearlman & Staff of TSI/CAAP (Norton, 1996). Created by Olga Phoenix Project: Healing for Social Change (2013). Dedicated to all trauma professionals worldwide.
www.OlgaPhoenix.com

Australian Childhood Foundation

Professional Education Services
professionals.childhood.org.au

43

A valuable resource

Includes chapters from:

- Martin Teicher
- Ed Tronick
- Allan Schore
- Bruce Perry
- Dan Hughes & Jon Baylin
- Kim Golding
- Cathy Malchiodi
- Joe Tucci
- Janise Mitchell
- Glenda Kickett
- Noel Macnamara

The Handbook of Therapeutic Care for Children
Evidence-Informed Approaches to Working with Traumatized Children and Adolescents in Foster, Kinship and Adoptive Care
Edited by Janise Mitchell, Joe Tucci and Ed Tronick
Foreword by Stephen W. Porges

Australian Childhood Foundation

44

Professional Education Services
professionals.childhood.org.au

Thank you for your participation today

Melissa Powney
Senior Advisor
Professional Education Services

training@childhood.org.au

