

professionalchildhood.org.au

Working with children and young people with disability

Developing a relationally focused, strength based, neuroinformed and inclusive framework for children and young people experiencing neurodivergence and disability

Territory Families
Youth Justice Induction


Professional Education Services
professionalchildhood.org.au

The Australian Childhood Foundation acknowledges the Aboriginal and Torres Strait Islander peoples as the traditional custodians of this land and waters. We pay our respects to their elders past and present and to their children who are the leaders of tomorrow. We acknowledge their history and living culture and the many thousands of years in which they have raised their children to be safe and strong.

Safety

The content of this training can evoke strong emotions and may trigger personal experiences of trauma.

Please be mindful of your own wellbeing during this training and if you need support please do what you need to do to feel safe. We are happy for you to talk to the facilitator if you need to.



Learning outcomes

Understanding disability and neurodivergence

- ADHD
- Autism Spectrum Disorder
- Fetal Alcohol Spectrum Disorders
- Physical disability


Explore responses to behaviour that are grounded in a needs-based approach


Integrate culturally safe and strong practices into response planning and implementation


Learn the importance of safety and trust-ensuring relationships are central to practice and practice is child centered

Building networks of support that neurobiologically enhance learning and relationships

Professional Education Services
professional.s.chi@childhood.org.au







professional.s.chil.dho.od.or.g.au

Young people with disabilities are a higher proportion of the youth justice population than in the population at large.


For example youth with FASD's are 19 times more likely to be incarcerated than non-affected peers.

For some young people, lack of an appropriate judicial response to their disability makes them vulnerable to cycling in and out of the family and criminal justice systems.

professional.s.chil.dho.od.or.g.au

Culture and Disability

professional.s.chil.dho.od.or.g.au



Culture is inclusion

- First Peoples with disability and their families are amongst the most seriously disadvantaged and disempowered members of the Australian community.
- Any support or intervention must be driven by the client and include the client's voice and testimony.
- A culture of inclusion acts as a buffer for the client

professional.s.chil.dho.od.or.g.au


Our Way Planning-First Peoples Disability Network



professional.s.chil.dho.od.or.g.au

Interoception and Sensory Processing

professional.s.chil.dho.od.or.g.au



Interoception

professional s, child protection, g, au

Interoception

YOU
FEEL
HUNGRY
BECAUSE OF
INTEROCEPTION

professional s, child protection, g, au


Interoception

Low levels of interoception means a reduced capacity to understand or connect with the body in ways that would enable them to self-regulate.

Interoceptive awareness may directly inform the capacity to regulate arousal states.

It is important to integrate the teaching of interoception activities into developing interoceptive awareness.

professional s, child protection, g, au



Interoceptive strategies for young people

Move	Tense & Stretch	Find your pulse	Yoga
Map your feelings	Mindfulness	Relaxation	How hungry am I?
	Breathing	When I get.....	

professional.s.chil.dho.ed.or.g.au

Sensory needs

Many children and young people with ADHD and Autism also suffer from sensory processing disorder (SPD) making it difficult to process and act on information received from the senses.

Most children with SPD display elements of extremes where they suffer from sensory overload sometimes and seek stimulation at other times.


It is important to understand their sensory needs and implement strategies to enable a positive experience in the education or care setting.

professional.s.chil.dho.ed.or.g.au



New Innovations in Intervention


Research and clinical experience suggest the efficacy of individually combining interoceptive awareness, sensory processing, behavioral (Khalsa et al., 2018) and trauma-informed treatment (Warner et al., 2014).

The need to merge sensory integration with interoceptive awareness intervention is supported by emerging clinical evidence demonstrating the effectiveness of sensory integration interventions in PTSD (Warner et al., 2014) and its recent inclusion as an evidence-based treatment for Autism Spectrum Disorder.






professional.s.chil.dho.ed.or.g.au

















ADHD Research

Traditional behavioural moderating techniques such as reward and punishment may not be effective:

- reinforcer quickly loses its value
- only short sequences of responses can be reinforced
- there is a short window where responses can be effectively received.



professional s, child hood or g au



professional s, child hood or g au

Autism Spectrum Disorder

Autism Spectrum Disorder (ASD) is the term used to describe a condition that affects development of an individual across their lifespan.

- Social communication
- Restricted interests and behaviours
- Sensory processing differences
- Every child is different and has unique abilities
- Individualised approach needed

professional s, child hood or g au



Pathological Demand Avoidance

I have **pathological demand avoidance**, an autism spectrum condition affecting social interaction and communication. It can also mean I get lost in my imagination. My main challenge is that demands (you must/you need to/you have to) make me very anxious. It can look like aggression or being naughty, but actually I'm panicking. Please be patient, allow me to make my own decisions where possible, give me time to process change, and help me calm down if needed.

Stickman Communications 2015


professional s.chil dho od.or g.au

professional s.chil dho od.or g.au

How can you help?

Use	Use clear and simple language
List	List events sequentially
Give	Give one instruction at a time
Take	Take time to listen and communicate
Warn	Warn of changes or transitions
Simplify	Simplify the environment where possible
Offer	Offer a quiet space

Class Meeting ACF 30



How to build a hug



professional.s.chil.dho.od.or.g.au




professional.s.chil.dho.od.or.g.au


FASD

10 Neurological impacts of FASD

- Brain structure and neurology
- Cognition
- Language
- Academic achievement
- Memory
- Attention
- Affect regulation
- Adaptive behaviours
- Executive function
- Motor skills



professional.s.chil.dho.od.or.g.au



Neurodevelopmental Challenges

- Structure
- Sequences
- Cause and affect
- Abstracts and generalisations
- Ongoing learning

professional.s.chil.dho.ed.or.g.au

Marulu Strategy; an example of working in remote regions with FASD





professional.s.chil.dho.ed.or.g.au

FASD and intersectionality with youth justice




professional.s.chil.dho.ed.or.g.au



- ### How to help...
- Use as few words as possible.
 - Always clearly state what you want to happen—the desired behavior.
 - Don't argue, debate, or negotiate.
 - Being direct is good, but don't become too authoritarian, or doors will close quickly.
 - Don't expect the person to be reasonable or to 'act their age'.
 - Go for a few "Yes" responses first. Use short questions you think the person will answer "Yes" to, just to get them out of being stuck in the "No" loop.
 - Be nonjudgmental.
- professional s. childhood.or.g.au

- ### How to help
- Start with a clean slate:** Don't have any assumptions as to why the person is behaving the way they are. There is a good chance you may be incorrect.
 - Don't get Frustrated:** Don't get frustrated that you just dealt with this same type of issue yesterday. It may seem like the same issue, but to the person it's likely a completely unique and unrelated crisis. It's not that they aren't paying attention; it's that their brain isn't letting them make the connection.
 - Remember nonverbals:** Be extra attentive to your nonverbal and paraverbal communication. The person with FASD may not understand all the words you're using when they're going through a crisis, but they are likely tuned in to your appearance and sound.
- Keep in mind the strong Precipitating Factors related to the person's brain damage as a result of prenatal alcohol exposure. It can help you maintain your Rational Detachment in a tough situation.
- professional s. childhood.or.g.au



professional.s.chil.dho.od.or.g.au

Responding Developmentally

professional.s.chil.dho.od.or.g.au

In brainstorming accommodations, here are some key questions to ask yourself:

What is the task or expectation the child is expected to do (and failing at/"refusing" to do)?

What does the brain— anyone's brain— have to be able to do in order to successfully complete that task or meet that expectation?

What do you know about how your child's brain functions in those areas? Do they have those skills?

professional.s.chil.dho.od.or.g.au

In brainstorming accommodations, here are some key questions to ask yourself:


How old is your child developmentally (which might be different than their chronological age)?

What are the secondary behaviors you see in this environment or with this specific situation?


What are your child's strengths and interests?

Based on all the information gathered from the above questions what accommodations need to be implemented to help this child be successful?

professional.s.chil.dho.od.or.g.au



External Brain




The cognitive impairments in children with FASD can cause them to have poor memory, lack of impulse control, poor judgment, and difficulty with 'cause and effect' reasoning.

This means they often need support from others to help them think through decisions, behaviours, and consequences as well as help them remember their routine, schedule, and how to complete tasks assigned to them.

In other words, your child may need you or a trusted person to act as their External Brain.

professional.s.chil.dho.af.or.g.au

External Brain Strategies



```


    graph LR
    A[Assess the level of need by making an inventory of your child's needs: your child may need all, some, or few of the following External Brain functions - time-keeper, friend/chooser, money-manager, information-interpreter, hygienemonitor, and decision-maker] --> B[Use tools: Schedules, agendas, behaviour charts, and whatever else works to give your child external cues about what he needs to do.]
    B --> C[Educate others: Teach your child's siblings, teachers, principals, coach, etc. about FASD and the needs of your child so they can help support him.]
    C --> D[Build a circle of support: Ask responsible and trusted people to act as External Brains for your child when you are not around.]
    
```

professional.s.chil.dho.af.or.g.au

Strategies for building healthy brains

Brainstem & Diencephalon	Basic survival & sensory processing	Pacification or stimulation. Activities in the child's preferred sensory modality
Cerebellum	Coordination of movement	Using music, rhyme and movement activities
Limbic	Emotional processing	Building relational connection through plays, animals, games
Cortex	Thinking processes	Linking experiences and sensations to words and descriptions
Prefrontal cortex	Analytical and abstract thinking	Challenges and safe risk taking activities

professional.s.chil.dho.af.or.g.au



Why it!
Build an obstacle course for regulation



professional s.chil dho od.or g.au

Trauma, Disability and me in Youth Justice


- The better integrated the different parts of the brain are the more adaptive we can be to our environment
- Developmental trauma is dis-integrative, disconnecting, and disruptive to both brain and body
- Where has trauma touched my life?
- What does it mean for me, to be working with traumatised young people with a disability?

Australian Childhood Foundation

professional s.chil dho od.or g.au

'Yarning About Disability' book by Caris Jalla






Alternative Strategy examples
 Music bypassing cortex and typical language centre pathways




professional.s.chil.dho.od.or.g.au

Alternative Strategy examples
 Equine therapy:




professional.s.chil.dho.od.or.g.au

Alternative Strategy examples
 Animal assisted therapy:



professional.s.chil.dho.od.or.g.au



Resources:

<https://www.education.vic.gov.au/Documents/school/principals/participation/tipsmanagingadhdinclass.pdf>

<https://www.education.sa.gov.au/supporting-students/health-e-safety-and-wellbeing/health-support-planning/managing-health-education-and-care/neurodiversity/interception>

https://www.education.sa.gov.au/sites/default/files/regulation-scale-hsp432-example-symbols-reduced-language.pdf?acsf_files_redirect

<https://www.understood.org/en/learning-thinking-differences/child-learning-disabilities/information-processing-issues/a-day-in-the-life-of-a-child-with-slow-processing-speed?fbclid=IwAR1F9TGQNugAsiMNX7sJhjFtyIjoP3KiVeQTU2eKX2hE6cVJOY2CqepSA>

professionals.childhood.org.au

Resources:

<https://autismfriendlycharter.org.au/app/>

<https://www.spectrumnews.org/features/special-reports/autism-brain-region-by-region/>

professionals.childhood.org.au

Professional Education Services
professionals.childhood.org.au

support@childhood.org.au

Find additional resources at:
<https://professionals.childhood.org.au/resources/>
<https://professionals.childhood.org.au/covid-19/>
