

Making
SPACE
for Learning
Trauma Informed Practice in Schools

Australian Childhood Foundation
Flinders Island District HS 25th July 2022

1

The Australian Childhood Foundation acknowledges Aboriginal and Torres Strait Islander peoples as the traditional custodians and owners of this land and waters. We pay our respects to their Elders past and present and to the children who are their leaders of tomorrow. We acknowledge their history and living culture and the many thousands of years in which they have raised their children to be safe and strong.

Australian Childhood Foundation

2

Key learning outcomes – success criteria

- **develop** an enhanced understanding of complex abuse related trauma, with a particular focus on its effects on brain functioning.
- **apply** a framework for assessing the impact of complex abuse related trauma on children and young people.
- **build** on practice skills to apply key models of intervention which promote recovery for children in an education setting.

Australian Childhood Foundation

3

Principles guiding this workshop



Image source: ©ACF2021

Your emotional safety is paramount



4

Safety & relationships are key...

It is important to remember that safety – feeling and being safe and having safe, connected and attuned relationships are key to supporting a child or young person who has experienced trauma.



Image source: ©ACF2021




5

Trauma

Simple	Intergenerational
Complex	Transgenerational
Developmental	Historical

Developmental Trauma: Occurs when the foetus in utero, baby, child or adolescent experiences trauma, from abuse and neglect during key stages of development

©Australian Childhood Foundation 2018



6

Developmental trauma


Occurs when the foetus in utero, baby, child or adolescent experiences trauma, from abuse and neglect during these stages of development



Image source: GACF 2021

7

Trauma impacts



Trauma can impact all elements of adolescent's development: brain, body, memory, learning, behaviour, emotions, relationships.

Image source: GACF 2021

8

The world around our adolescents

- Adolescent narrative
- Music
- Fashion
- Technology
- Language
- Thinking
- Substances
- Risks
- Social engagement
- Relationships



Image source: GACF 2021

9

Adolescence and change

Puberty Linked Changes

- Romantic motivation
- Sexual interest
- Emotional Intensity
- Sleep/arousal regulation
- Appetite
- Affective disorders
- Increased Risk taking, novelty seeking, sensation-seeking

Age & Experience Linked Changes

- Planning
- Logic reasoning ability
- Inhibitory Control
- Problem solving



10

How does complex trauma impacts present?

- **Anxiety**
- Depression
- **Attention focused on avoidance**
- Relational & affect regulation disturbance
- Cognitive distortions
- Somatization
- Externalising behaviours such as: self-mutilation & violence
- Sexual disturbance



11

Anxiety

- Overwhelms their capacity to cope, difficulty calming, worried, recurring thoughts, avoiding situations
- Gets in the way of normal life...can go on for weeks, months or maybe longer

What have you noticed with your young people?



12

Attention focussed on avoidance

- Avoidance in young people is not as sophisticated as in adults, because young people have had less time to practice
- Avoidance is reflected in behaviour which distracts and deflects the young person from re-experiencing traumatic memory states
- For young people, these actions are facilitated in the body and lower architecture of the brain (motor sensory) and serve to maintain traumatic memory states rather than resolve them



13

Impact of complex trauma on behaviour

When a student is feeling 'unsafe' and feeling a sense of powerlessness, then we may see:

- Aggression
- Overactive stress responses
- Withdrawal
- Agitation
- Tired due to lack of sleep
- Loss of fine motor skills (might stutter when talking)



Image source: ©ACF2021



14

Trauma and young people in the school context

How might young people be labelled?

- Disruptive
- Defiant
- Poor learners
- Non-achievers
- Unstable
- High risk of disconnecting
- Waste of time
- Need another learning environment!



Image source: ©ACF2021



15

A focus on brain development in adolescents

- The Thinking brain
3-5 Years
- The Emotions and Memory
Brain - Birth to 4 years
- The Movement Brain
Birth – 2 years
- The survival brain
Pre birth to 8 months

Image source: ©ACPF2011

Australian Childhood Foundation

16

Brainstem – survival centre

- basic life functions
- first part of our brain to develop & the most developed brain part at birth
- responsible for our heart beat, breathing, sucking, chewing and swallowing, temperature control blood pressure and our sleep cycle

Image source: ©ACPF 2020

Australian Childhood Foundation

17

The brain stem under stress and trauma

- may experience fast or slower heart rate
- shortness of breath or breathing difficulties
- sleep disturbances and unsettledness
- sucking and swallowing and digestion difficulties
- may feel hot or cold or not notice changes in temperature

What do you notice?

Image source: Shutterstock

Australian Childhood Foundation

18

Strategies for transforming – brainstem RHYTHM, BREATH, MOVEMENT

- include soothing and calming activities, safe containment
- movement based activities
 - include activities that have a rhythmic, repetitive element
- breath based activities
- conduct a sensory audit – ie: is it too hot or too cold, too noisy?
- include proprioceptive and interoceptive awareness and activities

19

Amygdala

Has three roles:

- **Alarm centre** - the 'smoke detector' of the brain
- **Memory centre** - processes & stores implicit memories
- **Emotion centre** – helps with emotional understanding and regulation



20

The amygdala under stress and trauma

- can be over active or under active
- can evoke reminders and flashbacks of the trauma (awakenings)
- will have difficulty in emotional regulation
- will have difficulty in reading facial expressions
- Constantly 'firing' – can hijack the cortex (thinking goes offline)



What do you notice and what can you do?

21

Strategies for transforming – Amygdala

- Manage own reactions (stay calm & present)
- Don't rely on reason/thinking to reduce an escalation
- Regular outbreath activities
- Provide opportunities for rest and recovery
- Environmental audit (noise, smell, colour, person, situation).



Re-entry to the classroom should be a safe and positive transition whenever possible.



22

Transforming trauma – thinking about transitions....

Reflection activity

- How many transitions would your young person go through in any given day?
- How can assist students who have experienced trauma to manage these?



23

Hippocampus

- explicit memory centre
- provides context to memories
- provides consolidation of information from short term memory to long term memory
- memory puzzle sorting centre




Image source: ©ACF 2020



24

Implicit and Explicit Memory Systems



25

The hippocampus under stress and trauma

- Reduction of hippocampal volume up to 25% as a result of high levels of cortisol
- Can't place memories in time or place – flooding & flashbacks
- Working memory, retention and recall (retrieval) capacity is severely impacted
- Narrative/autobiographical memory is affected



What do you notice?

26

Strategies for transforming – Hippocampus

- Repetition
- Reminders
- Review
- Reinforce



Calming the brainstem, quietening the amygdala and boosting the cerebellum will all help the hippocampus to function more effectively

27

Cerebral cortex – thinking centre

- the largest part of the brain
- associated with higher brain function such as thought and action
- examples of functions:
 - reasoning
 - logic
 - judgement
 - voluntary movement




Image source: ©ACPF 2021

Australian Childhood Foundation

28

Cortical areas under stress and trauma

Unable to:

- use foresight and anticipation, focus or sustain attention
- plan, organise or prioritise or make decisions well
- reflect or have self-awareness
- be enthusiastic, motivated or persist with activities
- use impulse control

What do you notice?

Australian Childhood Foundation

29

Strategies for transforming – cortical areas

Safety and stability are essential pre-requisites for cortical access

- problem solving activities and strategies
- support to map and plan activities
- games - card games – boards games – strategy games
- voluntary movement activities – table top drumming, clapping etc
- thinking and choice games – “Would you rather?”
- mindfulness or focused and attuned activities (see MPFC)



Australian Childhood Foundation

30

The Prefrontal Cortex- executive function centre

Final part of the brain to reach maturity in one's mid to late twenties

- self awareness
- reasoning and judgement
- foresight and anticipation
- focusing and sustaining attention
- planning organising and prioritising
- decision making
- reflecting
- enthusiasm, motivation and persistence
- impulse control
- working memory



31

Vulnerabilities – the impact of trauma on the PFC

Behaviours associated with an underdeveloped pre-frontal cortex

- short attention span
- impulsivity and increased risk taking
- procrastination (lack of motivation or internal reward systems)
- disorganisation (trouble working through long term goals)
- poor judgement and problem solving
- reduction in ability to see things from other's perspective

32

Vulnerabilities – the double whammy!

Behaviours associated with an overactive limbic lobe and under-active pre-frontal cortex

- Over emotional reactions
- Trouble reading facial expressions
- Ill-tuned communication skills

Our focus....

- Lack of impulse control
- Increased risk taking

33

Lack of impulse control and increased risk taking

Group activity

- What are the challenges and risks.....
- Can you differentiate between positive and negative risk taking?
- Why does risk taking increase between childhood and adolescence and decrease between adolescence and adulthood?




34

Medial Pre-frontal Cortex and the Right Orbito-frontal Cortex

Medial Pre-Frontal Cortex
(the centre of Mindfulness/Self awareness)

Right Orbitofrontal Cortex
(Regulation of Arousal)





- Mindful awareness/ meditation de-activates the amygdala
- Quality co-regulation de-activates the amygdala

Image source: OACF 2021



35

Adolescents - The remodelling brain: Pruning & myelination in the teenage brain



<https://www.youtube.com/watch?v=iXnyM0ZuKNU>



36

Young people and the importance of sleep

- adolescents need more sleep than adults or children - optimal time being about nine and a half hours
- pruning and myelination occur during sleep
- sleep strengthens learning and memories
- later starting times for schools show statistically significant impact on academic achievement

What does the start of the day look like at your school?



37


Risk taking and impulse control



38

Development of the left and right hemispheres


- Left Hemisphere
- Evaluates language content
 - The optimistic hemisphere
 - Understands beginning, middle and end
 - Learns from the past and expects the future
 - Looks for patterns



- Right Hemisphere
- Orientated in the present moment
 - Eye Contact
 - Facial Expression
 - Tone of Voice
 - Posture
 - Gesture
 - Intensity
 - Grasps the whole



39



40

Under stress and trauma....

Adolescents who have had experiences of trauma are often stuck in their right hemisphere.

It could be hard for them to:

- Understand what we say (a left hemisphere task)
- Speak or articulate what they need (a left hemisphere task)

Image source: GACF2021

Australian Childhood Foundation logo at the bottom left.

41

Strategies for transforming – building RH/LH connection

- Activities that cross the midline
- Using gestures, intonation, melody, etc to accompany speech
- Putting words to feelings when making observations
- Incorporate cognitive elements into calming/stimulating activities (eg. counting)

Image source: GACF 2020


Australian Childhood Foundation logo at the bottom left.

42

An introduction to the Polyvagal theory and neuroception


Cues of risk and safety are continually monitored by our nervous system.

“Before we can engage in social behaviour and learning we must first feel safe.”
(Porges, 2015, p.115).



Australian Childhood Foundation

43



44


Polyvagal theory and protective responses

by Stephen Porges


Behavioural Functions	Body Functions
Social Engagement Soothing and calming Indicates safety	<ul style="list-style-type: none"> Lowers or raises vocalisation pitch Regulates middle ear muscles to perceive human voice Changes facial expressivity Head turning Tears and eyelids Slows or speeds heart rate
Mobilisation Fight or Flight Active Freeze Moderate or extreme danger	Hyper arousal <ul style="list-style-type: none"> Increases heart rate Sweat increases Inhibits gastrointestinal function Narrowing blood vessels - to slow blood flow to extremities Release of adrenaline
Immobilisation Collapse or submission Death feigning Increased pain threshold Conserves metabolic resources Life threatening situations	Hypo - arousal <ul style="list-style-type: none"> Slows heart rate Constricts bronchi Stimulates gastrointestinal function

Australian Childhood Foundation

45



46



47

Trauma and behaviour – adaptive to maladaptive

Trauma based behaviour is functional at the time in which it develops as a response to threat.

Australian Childhood Foundation

48

Framing Behaviour Support Plans

- Consider the **function behind the behaviour** – what is the unmet need? What alternatives could we offer the child to meet this need in a different way?
- Can the behaviour be understood as a **fight, flight, freeze or withdrawal** response?
- What **stressors or situations** do we think trigger these behaviours, and which ones can we do something about?
- What **skills** can we help the child/young person to develop, to support them in reducing these behaviours?

Don't rely on consequences to promote behaviour change



Professional Education Services
professionals@childhood.org.au

49

SPACE

Schools can respond effectively to the needs of traumatised children and young people, using the five key dimensions of the acronym SPACE.



50



Making SPACE for Learning – Site Audit Tool

This audit tool can be used to evaluate the policies and practices of a school that receive and equip different levels of the school site to provide trauma-informed practices. In the following table, list strategies, policies or other processes currently undertaken that support traumatised students at your school.

Whole Site Staff Classroom / Group Small Group Individual Student / Child

	Whole Site	Staff	Classroom / Group	Small Group	Individual Student / Child
S					
P					
A					
C					
E					



51

Showcase booklets
<https://professionals.childhood.org.au/building-capacity-in-educational-settings/>

Making SPACE for Learning
Quality Inclusive Practice in Schools
Workshop Project Reports
Queensland Schools 2017

TRANSFORMING TRAUMA PROJECT
Supporting children and young people with trauma
and their families and carers

Transforming Trauma Tasmania Showcase 2012

Making SPACE for Learning
Trauma Sensitive Practice in Schools

CATHOLIC EDUCATION SOUTH AUSTRALIA
PROJECT REPORTS 2017

Australian Childhood Foundation Professional Education Services
professionals.childhood.org.au

52

To find out more about the Australian Childhood Foundation please visit our website:

www.childhood.org.au
training@childhood.org.au

Phone: 1300 381 581

Australian Childhood Foundation

53
